



International

## SAFETY DATA SHEET

ACCORDING TO REGULATION (EC) No. 1907/2006  
**Rascal Difenacoum Wax Block Bait**

Page 1 of 5

Revision 1  
Revision date 20-May-2014

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

**Product name** Rascal Difenacoum Wax Block Bait  
**Company** PelGar International Ltd  
Unit 13 Newman Lane  
Alton Hampshire GU34 2QR  
**e-mail address** philip@pelgar.co.uk  
www.pelgar.co.uk  
**Telephone** Tel +44 (0) 1420 80744  
**Fax** Fax +44 (0) 1420 80733  
**Emergency telephone number** Tel +44 (0) 1420 80744  
**Intended use** Ready for use rodenticide containing 50 ppm difenacoum.

### 2 HAZARDS IDENTIFICATION.

**Labelling to Directive 1999/45 EC** The preparation is non-dangerous in accordance with Directive 1999/45/EC.

**Safety phrases** To avoid risks to man and the environment, comply with the instructions for use.

S1/2 - Keep locked up and out of the reach of children.

S13 - Keep away from food, drink and animal feedingstuffs.

S37 - Wear Suitable gloves

S20/21 - When using do not eat, drink or smoke.

S46 - If swallowed, seek medical advice immediately and show this container or label.

**Other hazards** Unlikely to cause harmful effects under normal conditions of handling and use. Harmful to Wildlife. Wild mammals and birds may be at greater risk if the product is not used in accordance with its label.

### 3 . COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients	Conc.	CAS	EINECS	Symbols/Risk phrases EEC 67/548	Classification Reg (EC) No 1272/2008
Difenacoum	0.005%	56073-07-5	259-978-4	T+; R28 T; R48/25 N; R50/53	Acute Tox 2 H300 STOT RE 1 H372 Aquatic Acute 1 H400 Aquatic Chronic 1 H410
Denatonium benzoate	0.001%	3734-33-6	223-095-2	Xn;R20 Xn;R22 Xi;R37 Xi;R38 Xi;R41 R52/53	Acute Tox 4 H302 Acute Tox 4 H332 Skin Irrit 2 H315 Eye Dam 1 H318 Aquatic Chronic 3 H412
1,2-Benzisothiazolin-3-one	<0.02%	2634-33-5	220-120-9	Xn; R22 Xi; R38-41 R43 N; R50	Acute Tox 4 H302 Skin Irrit 2 H315 Eye Dam 1 H318 Skin Sens 1 H317 Aquatic Acute 1 H400
propane-1,2-diol (Propane-1,2-diol particulates)	1-10%	57-55-6	200-338-0		
Sugar (Sucrose)	1-10%	57-50-1			
Paraffin Wax	30-40%	8002-74-2	232-315-6		

Print date 19-Jun-2014

# Rascal Difenacoum Wax Block Bait

Revision 4  
Revision date 20-May -2014

## 4. FIRST AID MEASURES

<b>Skin contact</b>	May cause skin irritation in susceptible persons. Remove contaminated clothing. Wash off immediately with plenty of soap and water. If irritation persists obtain medical attention. Contaminated clothing should be washed and dried before re-use.
<b>Eye contact</b>	May cause eye irritation of susceptible persons. Rinse immediately with plenty of water and seek medical advice if irritation persists.
<b>Inhalation</b>	Unlikely to present an inhalation hazard unless excessive dust is present. Move the exposed person to fresh air. Obtain medical advice immediately.
<b>Ingestion</b>	If swallowed, seek medical advice immediately and show this container or label.
<b>General information</b>	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). <b>ADVICE FOR DOCTORS:</b> Difenacoum is an anticoagulant which may produce bleeding; this may be delayed for several days after exposure. If there is no active bleeding the INR (prothrombin time) should be measured on presentation and 48-72 hours after exposure. If the INR is greater than 4, administer Vitamin K1 (phytomenadione) 5-10 mg by slow intravenous injection (100 µ g/kg body weight for a child). Treatment with phytomenadione (orally or intravenously) may be required for several weeks. The advice of the National Poisons Information Service ( <a href="http://www.npis.org/">http://www.npis.org/</a> ) should be sought, particularly if active bleeding occurs.

## 5. FIRE FIGHTING MEASURES

<b>Extinguishing media</b>	Keep fire exposed containers cool by spraying with water if exposed to fire. Carbon dioxide (CO <sub>2</sub> ) Alcohol resistant foam. Dry chemical. Use extinguishing media appropriate to the surrounding fire conditions. Do NOT use ... Do not use water jets.
<b>Protective equipment</b>	In the event of fire. Wear: Self-contained breathing apparatus. Suitable gloves and boots.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Wear suitable protective clothing, gloves and eye/face protection. See section 8.
<b>Environmental precautions</b>	Prevent further leakage or spillage, if safe to do so.
<b>Clean up methods</b>	Clean up promptly by sweeping or vacuum. Transfer to a suitably labelled container. Subsequently, wash the contaminated area with water, taking care to prevent the washings entering sewers or drains.

## 7. HANDLING AND STORAGE

<b>Handling</b>	Avoid contact with eyes and skin. Avoid formation of dust. Do not smoke eat or drink while handling this product . Always use good personal hygiene procedures when handling chemicals. Wash hands and face before eating, drinking or smoking. Read the label before use. Unlikely to produce dust as the product is a wax block.
<b>Storage</b>	Keep in a cool, dry, well ventilated area. Keep out of the reach of children. Keep away from food and animal feedstuffs. Keep away from oxidising agents.
<b>Specific use</b>	Ready for use rodenticide containing 50 ppm difenacoum.

# Rascal Difenacoum Wax Block Bait

Revision 1  
Revision date 20-May -2014

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure limits

propane-1,2-diol (Propane-1,2-diol particulates)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: -
propane-1,2-diol (Propane-1,2-diol total vapour and particulates)	WEL 8-hr limit ppm: 150 WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 474 WEL 15 min limit mg/m3: -
Sugar (Sucrose)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: 20
Paraffin Wax	WEL 8-hr limit ppm: WEL 15 min limit ppm:	WEL 8-hr limit mg/m3: 2 WEL 15 min limit mg/m3: 6
Paraffin Wax (Paraffin wax, fume)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 2 WEL 15 min limit mg/m3: 6

**Respiratory protection** Not required under normal conditions of handling and use.

**Hand protection** Impervious gloves .

**Eye protection** Not required under normal conditions of handling and use.

**Protective equipment** Impervious clothing. Boots.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Description</b>	Wax Block.
<b>Colour</b>	Blue, Green or Red.
<b>Odour</b>	Slight.
<b>Flammability limits</b>	Combustible
<b>Relative density</b>	Not available
<b>Melting point</b>	~ 60 (for the wax)°C

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under normal conditions.
<b>Conditions to avoid</b>	Heat, sparks and open flames.
<b>Materials to avoid</b>	Oxidising agents.
<b>Hazardous decomposition products</b>	Combustion or thermal decomposition will produce toxic and irritant fumes.

# Rascal Difenacoum Wax Block Bait

Revision 1  
Revision date 20-May -2014

## 11. TOXICOLOGICAL INFORMATION

### Toxicological information

Difenacoum	Oral Rat LD50 = 1.8 mg/kg Dermal Rat LD50 = 51.5 - 63 mg/kg Inhalation Rat LC50/4 h = 16.27-20.74 µg/l
Denatonium benzoate	Oral Rat LD50 = 749 mg/kg Inhalation Rat LC50/4 h = 0.2 mg/l Oral Rat LD50 = >2000 mg.kg
propane-1,2-diol	Oral Rat LD50 = >2000 mg.kg

<b>Acute toxicity</b>	ORL RAT LD50 approx. 30 g/kg (calculated).
<b>Corrosivity</b>	No irritation expected.
<b>Sensitization</b>	Grain Dust and flour dust are respiratory sensitizers causing asthma. As the product is a wax block, it is unlikely to cause any problems.
<b>Mutagenic effects</b>	No evidence to suggest anticoagulant rodenticides are mutagenic.
<b>Carcinogenic effects</b>	No evidence to suggest anticoagulant rodenticides are carcinogenic.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** As the product contains 50ppm Difenacoum , unlikely to be hazardous to aquatic life.

Difenacoum	Algae EC50/72h = 0.51mg/l Daphnia LC50/48h = 0.91 mg/l Rainbow trout LC50/96h = 0.33 mg/l
propane-1,2-diol	Daphnia EC50/48h = 4850 mg/l Fish LC50/96h = 4600 mg/l

**Further information** Harmful to wildlife. Read all precautions before use.

## 13. DISPOSAL CONSIDERATIONS

<b>General information</b>	Dispose of as hazardous waste in compliance with all local and national regulations. Hazardous Waste Code 20 01 19
<b>Disposal of packaging</b>	Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

## 14. TRANSPORT INFORMATION

**Further information** Not classified as dangerous for transport.

## 15. REGULATORY INFORMATION

<b>Labelling</b>	The product is classified as non hazardous and is labelled in accordance with Biocides Directive 98/8 EEC. Read the label before use.
<b>Safety, Health and Environmental Regulations</b>	Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010. Biocides Directive 98/8 EEC.

# Rascal Difenacoum Wax Block Bait

Revision 1  
Revision date 20-May -2014

## 16. OTHER INFORMATION

<b>Text of R and H phrases in Section 3.</b>	<p>R20 - Harmful by inhalation. R22 - Harmful if swallowed. R28 - Very toxic if swallowed.  R37 - Irritating to respiratory system. R38 - Irritating to skin. R41 - Risk of serious damage to eyes.  R43 - May cause sensitisation by skin contact.  R48/25 - Toxic: danger of serious damage to health by prolonged exposure if swallowed.  R50 - Very toxic to aquatic organisms.  R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  H300 - Fatal if Swallowed H302 - Harmful if swallowed. H315 – Causes skin Irritation  H317 - May cause an allergic skin reaction H318 – Causes serious eye damage  H332 – Harmful if inhaled H372 - Causes damage to organs through prolonged or repeated exposure.  H400 - Very Toxic to aquatic life  H410 – Very toxic to aquatic life with long lasting effects.  H412 - Harmful to aquatic life with long lasting effects</p>
<b>Restricted use</b>	Ready for use rodenticide containing 50 ppm difenacoum.
<b>Further information</b>	Approved under the Biocides Directive 98/8 EEC. Authorisation Number UK-2014-0835
<b>Data sources</b>	Raw material suppliers Safety Data Sheets. CHIP 2009 EH40
<b>Revision</b>	This document differs from the previous version in the following areas: